







ACTUATECH S.p.A. Pnom = 5.5 bar Villa Carcina
Brescia ITALY Pnom = 5.5 bar Pmax = 8 bar 116 PSI

 $Tmin = \begin{array}{c} -20^{\circ}C \\ -4^{\circ}F \end{array}$ $Tmax = \begin{array}{c} +80^{\circ}C \\ +176^{\circ}F \end{array}$




ACTUATECH ACTUATOR TECHNOLOGY

THE NEW ACTUATECH SMART ACTUATOR



RP-X is the first pneumatic actuator with INTEGRATED data-tracking unit and WIRELESS transmission





With RP-X the electronic unit is assembled IN the actuator cylinder, allowing the whole functionality in a minimum space

EASY AND AFFORDABLE SOLUTION






THE ELECTRONIC UNIT

DATA RECORDED



The electonic unit is able to record the following data:

- Temperature
- Rotation angle
- Opening / Closing time
- Number of cylces
- Total duration in open and in close position



RP-X collects these data in the integrated storage memory.

The unit is equipped with and anti-tamper system for security of recorded data.

The system detects any attempt to tamper with the device or unauthorized removal of the protective cover.





THE RP-X SYSTEM

THE SYSTEM

























RP-X

DATA RECORDING AND WIRELESS TRANSMISSION

GATEWAY

DEVICE SEARCHING DATA RECEIVING AND BROADCASTING TO CLOUD

CLOUD

DATA STORE

X-EASY PLATFORM

DATA AND ALERTS
VIEW AND
MANAGEMENT


THE GATEWAY





A SCALABLE SYSTEM









APPLICATIONS

APPLICATIONS AND OPPORTUNITIES



APPLICATIONS AND OPPORTUNITIES:

 The RP-X is a smart solution that can help operators to track and monitor operational processes by collecting data and sending key information

 It can be a support for predictive maintenance purposes

 It can help verify that operations are taking place according to the designated plans




MOBILE APPLICATIONS



Mobile applications, for example, can take advantage of this system:

- During outwards missions/assignments actuators data are saved on memory
- Once the actuator (e.g. on truck) is back to the plant, RP-X automatically connects to the Gateway for data-transfer







THE PLATFORM X-EASY

THE X-EASY PLATFORM



X-EASY is a web interface developed by ACTUATECH to allow easy fruition of information and to manage the data.

Any deviation from the set standards can be displayed on the screen or can trigger alerts (such as emails) addressed to the user.


Two levels of user: Administrator and Read-only

No need of server or buy/download app: the access is granted after product registration




ASSETS OVERVIEW





ONE ASSET WITH DEVICES LIST





SELECTED DEVICE WITH ALL DETAILS





SELECTED DEVICE WITH ALL DETAILS



					▽ 1 ∨
TIME ≎	ТҮРЕ	TIME SINCE LAST ACTUATION	ANGLE	DURATION	TEMPERATURE
11/01/2023, 16:37:27 CET	CLOSE	10s	0°	0.3s	25°C
11/01/2023, 16:37:17 CET	OPEN	10s	94°	0.3s	25°C
11/01/2023, 16:37:07 CET	CLOSE	10s	0°	0.3s	25°C
11/01/2023, 16:36:57 CET	OPEN	10s	94°	0.3s	25°C
11/01/2023, 16:36:47 CET	CLOSE	10s	0°	0.3s	25°C
11/01/2023, 16:36:37 CET	OPEN	11 s	94°	0.3s	25°C
11/01/2023, 16:36:26 CET	CLOSE	10s	0°	0.3s	25°C
11/01/2023, 16:36:16 CET	OPEN	10s	94°	0.3s	25°C
11/01/2023, 16:36:06 CET	CLOSE	10s	0°	0.3s	25°C
11/01/2023, 16:35:56 CET	OPEN	10s	94°	0.3s	25°C
11/01/2023, 16:35:46 CET	CLOSE	10s	0°	0.3s	25°C
11/01/2023, 16:35:36 CET	OPEN	10s	94°	0.3s	25°C
11/01/2023, 16:35:26 CET	CLOSE	10s	0°	0.3s	25°C
11/01/2023, 16:35:16 CET	OPEN	10s	94°	0.3s	25°C
11/01/2023, 16:35:06 CET	CLOSE	10s	0°	0.3s	25°C
		1-15 of 2,380			Next